

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	11	electroly\$4 adj powder adj coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 09:58
L3	11062	coating with nylon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 10:12
L4	13	(bracket or clip) with coating with nylon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 10:12
L5	25	(arm or tube or brace or bracket or clip) with elect\$4 adj insulat\$4 adj coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 10:38
L6	151	elect\$4 adj insulat\$4 adj medium	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 11:10
L7	13	elect\$4 adj insulat\$4 adj medium same circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 12:01
L8	0	(pole or mast or post or rod or bar) same metal\$4 with (arm or brace or bracket or beam) with elect\$4 adj insulat\$4 adj coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 12:25
L9	0	(pole or mast or post or rod or bar) same (arm or brace or bracket or beam) with elect\$4 adj insulat\$4 adj coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 12:26

L10	47	(pole or mast or post or rod or bar) same (arm or brace or bracket or beam) with insulat\$4 adj coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 12:28
L11	3	elect\$4 adj insulat\$4 adj medium same (pole or mast or post)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 13:44
S1	670	(248/218.4,219.1,219.4).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 11:58
S2	0	248/218.4,219.1,219.4.ccls and insulation SAME plastic WITH powder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:42
S3	0	248/218.4,219.1,219.4.ccls and insulat\$4 SAME plastic WITH powder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:42
S4	10	pole SAME insulat\$4 SAME plastic WITH powder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:43
S5	18568	plastic WITH powder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:43
S6	66	arm SAME plastic WITH powder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:44
S7	1717	arm SAME metal\$4 WITH insulat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:45
S8	113	arm SAME metal\$4 WITH insulat\$4 SAME steel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:45

S9	1	arm SAME metal\$4 WITH insulat\$4 SAME steel and electrolytic adj powder adj coating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:46
S10	113	arm SAME metal\$4 WITH insulat\$4 SAME steel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:53
S11	0	metal\$4 SAME insulat\$4 SAME steel SAME electrolytic adj powder adj coating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:55
S12	2	electrolytic adj powder adj coating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:55
S13	3646	metal\$4 SAME insulat\$4 SAME steel SAME (plastic or polymeric or polymer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:56
S14	184	metal\$4 SAME insulat\$4 SAME steel SAME (plastic or polymeric or polymer) SAME epoxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:56
S15	8	metal\$4 SAME insulat\$4 SAME steel SAME (plastic or polymeric or polymer) SAME epoxy SAME nylon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 15:56
S16	5	("0950859" "1956340" "2024892" "2443149" "2592057").PN.	USPAT	OR	OFF	2004/07/09 16:05
S17	36	"248"/\$.ccls. and bracket WITH thermoplastic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/09 16:07
S18	2	("4085010").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 08:52
S19	11	cross adj arm SAME (insulat\$4 or coat\$4) WITH (powder or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:13

S20	1046	(cross SAME arm or pole) SAME (insulat\$4 or coat\$4) WITH (powder or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:14
S21	70	cross SAME arm SAME (insulat\$4 or coat\$4) WITH (powder or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:23
S22	90	electric SAME pole SAME (insulat\$4 or coat\$4) WITH (powder or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:28
S23	313	pole SAME (electr\$4 or telephone or cable) SAME (insulat\$4 or coat\$4) WITH (powder or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:52
S24	6929	insulat\$4 SAME dielectric adj strength	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:53
S25	0	insulat\$4 SAME dielectric adj strength > "10kv/mm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:54
S26	0	insulat\$4 SAME dielectric adj strength WITH "10kv/mm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:54
S27	0	insulat\$4 SAME dielectric adj strength SAME "10kv/mm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:54
S28	116	insulat\$4 SAME dielectric adj strength SAME "kv/mm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 10:27
S29	1	insulat\$4 SAME dielectric adj strength SAME "kv/mm" and "cross arm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 09:55
S30	2	electrolytic adj powder adj coating	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 10:28

S31	642	steel adj pole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:10
S32	205	steel adj pole and electric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/05 11:11
S33	77	(pole or mast or rod) SAME metal SAME insulat\$4 SAME dielectric SAME (plastic or polym\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 12:40
S34	161	(pole or mast or rod) NEAR (metal or steel) and (insulat\$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 12:44
S35	19	power adj (line or cable) SAME metal SAME insulat\$4 SAME dielectric SAME (plastic or polym \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 12:42
S36	7	power adj (line or cable) NEAR (metal or steel) and (insulat\$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 12:43
S37	1	cross adj arm NEAR (metal or steel) and (insulat\$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 12:44
S38	0	cross adj beam NEAR (metal or steel) and (insulat\$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 12:44
S39	72	(post) NEAR (metal or steel) and (insulat\$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 12:57
S40	1206	(line\$1) NEAR (metal or steel) and (insulat\$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 12:57
S41	11	(cable or power or telephone or electric or transmission) adj line\$1 NEAR (metal or steel) and (insulat \$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:48

S42	1	cross adj beam WITH hollow adj steel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:47
S43	0	(column) adj line\$1 NEAR (metal or steel) and (insulat\$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:48
S44	17	(column) NEAR (metal or steel) and (insulat\$4 or coat\$4) SAME dielectric SAME (plastic or polym\$4 or nylon or thermoplastic or epoxy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/16 13:49
S45	10	("0950859" "1956340" "2024892" "2443149" "2592057").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:08
S46	4	("5174535").URPN.	USPAT	OR	OFF	2005/11/29 13:09
S47	4	("5174535").URPN.	USPAT	OR	OFF	2005/11/29 13:50
S48	10	("0950859" "1956340" "2024892" "2443149" "2592057").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 14:30
S49	15	cross adj arm SAME metal\$4 SAME coat\$4 with coat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:35
S50	29	cross adj beam SAME metal\$4 SAME coat\$4 with coat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:36
S51	16340	beam SAME metal\$4 SAME coat\$4 with coat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:37
S52	2545	beam SAME metal\$4 SAME coat\$4 with coat\$4 and (pole or post)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:37
S53	224	beam SAME metal\$4 SAME coat\$4 with coat\$4 SAME (pole or post)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 14:47
S54	556	(pole or post or mast) SAME (bar or rod or beam or arm) SAME metal\$4 SAME coat\$4 with coat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 15:25

S55	283	(pole or post or mast) SAME (bar or rod or beam or arm) SAME metal\$4 with coat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 15:25
S56	19	(bar or beam) same metal\$4 with coat\$4 with electric\$4 adj insulat\$4 adj coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 17:28
S57	255	(bar or beam) same metal\$4 with coat\$4 with insulat\$4 adj coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 17:29
S58	41	(bar or beam) same metal\$4 with coat\$4 with insulat\$4 adj coat\$4 and (pole or stand)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/05 17:32
S59	1537	metal\$4 same electric\$4 adj insulat\$4 adj coat\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 16:11
S60	475	metal\$4 same electric\$4 adj insulat\$4 adj coat\$4 and (pole or post or mast or arm or beam or brace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 16:12
S61	85	metal\$4 same electric\$4 adj insulat\$4 adj coat\$4 same (pole or post or mast or arm or beam or brace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 16:15
S62	94	metal\$4 same electric\$4 adj insulat\$4 adj coat\$4 same (cross adj arm or bar or rod or arm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 16:24
S63	231	metal\$4 same electric\$4 adj insulat\$4 adj coat\$4 same (cross adj arm or bar or rod or arm or tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 16:36

S64	95	metal\$4 with electric\$4 adj insulat \$4 adj coat\$4 same (cross adj arm or bar or rod or arm or tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 16:41
S65	50	metal\$4 with electric\$4 adj insulat \$4 adj coat\$4 with (cross adj arm or bar or rod or arm or tube)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 16:42
S66	67583	coat\$4 with dielectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 19:45
S67	0	tie adj bar with coat\$4 with dielectric	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 19:46
S68	1	clip with coat\$4 with dielectric same circuit adj board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 19:48
S69	2	bracket with coat\$4 with dielectric same circuit adj board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 19:49
S70	0	(bracket or clip) with electolyic adj powder adj coating same circuit adj (board or card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 20:21
S71	0	(bracket or clip) with electolyic adj powder adj coating same circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 20:21
S72	0	(bracket or clip) with elect\$4 adj powder adj coating same circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 20:22

S73	0	electrolytic adj powder adj coating same circuit	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 20:23
S74	2	electrolytic adj powder adj coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 20:23
S75	36	electr\$4 adj powder adj coating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/07 20:24

4/ 8/ 08 2:20:34 PM

C:\Documents and Settings\JWujciak\My Documents\EAST\Workspaces\10614740.wsp